



Tork Reflex™ Wiping Paper

473242

Think ahead.



Description

The 1-ply multipurpose Tork Reflex™ Wiping Paper is ideal for wiping tasks and hand wiping, due to its strength and high absorption. This paper can be used in the Tork Reflex™ single-sheet centrefeed dispenser, which fits your team's workflow, cuts down consumption, and minimises the risk of cross-contamination.

- Single sheet dispensing - reduces consumption by up to 37%.
- SmartCore® core removal - for fast and easy refilling.
- Particularly good for cleaning glass - does not leave any lint or streaks on surfaces
- Tork Easy Handling® Packaging
- 100% recycled
- Multipurpose
- Easy core removal
- Reduce consumption

Certifications



Product Details

Number of Sheets	895
Roll width	19.4 cm
Roll diameter	18.5 cm
Embossing	No
Core inside diameter	5.9 cm
Print	No
Sheet length	33.5 cm
Ply	1
Roll length	299.82 m
System	M4
Color	White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	8710499059008	8710499059008	7322540895698
Packaging Material	none	Plastic Shrink Film	-
Pieces	6	6 (1 CON)	180 (30 TRP)
Height	194 mm	194 mm	1,325 mm
Length	370 mm	553 mm	1,200 mm
Width	553 mm	370 mm	1,000 mm
Gross Weight	8,203.04 g	8.2 kg	246.09 kg
Net Weight	8,026.91 g	8.03 kg	240.81 kg
Volume	39.69 dm3	39.69 dm3	1.19 m3
Layers Per Pallet	-	-	6
TRP Per Layer	-	-	5



Think ahead.

Tork Reflex™ Wiping Paper

473242

Compatible Products



Tork Reflex Sing Sh Cf disp Turquoise
473180



Tork Reflex Portab Cf Start Pack blue rl
473188



Tork Reflex Sing Sh Cf disp White
473190



Tork Reflex Sing Sh Cf disp Black
473191

Environmental Information

Content

The product is made from

Recycled fibres
Chemicals

The packaging material is made from paper or plastic.

Material

Recycled fibres

Recycling of paper is an efficient use of resources as the wood fibres are used more than once.

High demands are put on quality and purity of recovered paper, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products.

Recycled fibres can be produced from different types of recovered paper, such as collected newsprint, magazines, office waste, paper cups, drink cartons, corrugated boxes and paper hand towels. The choice of recovered paper grades is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities.

Bleaching of pulp, used for tissue, is primarily a process to remove substances that could have a negative effect on important properties of the finished product such as purity, absorption, strength and colour of the pulp.

Bleaching of the recycled fibre pulp is done using chlorine-free bleaching agents (hydrogen peroxide and sodium dithionite). Some of our products are bleached and some are not.

For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printed products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilise recovered fibres we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Food Contact	This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.
Environmental certification	This product is certified with the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC® with certificate number SA-COC-008266.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 23-07-2025 Revision date: 04-03-2026
Production	This product is produced at Hondouville - FR mill and certified according to ISO 9001, ISO 14001 (Environmental management systems), BRC-IoP, ISO 45001, ISO 50001 and FSC Chain-Of-Custody.
Disposal/destruction of used product	This product is used both for personal hygiene and for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled / disposed of /destroyed. The product itself is suitable for incineration. If used in industrial processes contact local authorities before destruction. When used for personal hygiene it can be collected together with household waste.

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom